

AMENDMENTS TO THE CLAIMS

Please amend Claims 1, 11, 36, 37, 38 and 47 as indicated below.

Please add new Claims 73-89 as indicated below.

1. (Currently Amended) A computer program for monitoring the performance of an application by presenting a visual map of the underlying architectural components of the application and a visual depiction of the amount of the data flow between—into and out of the architectural components, the computer program comprising software configured to display a visual map having on-screen graphics representing components and data flows of an application, and wherein at least some of the on-screen graphics representing components having similar functionality are organized into groups while other on-screen graphics represent the data flowing between the groups, thereby providing a user with a snapshot overview of the performance of the application.

2. (Original) The computer program of Claim 1, further comprising panels, each panel being associated with one or more of the groups of on-screen graphics representing components having similar functionality, and wherein one or more of the other on-screen graphics represents the data flowing between the panels.

3. (Original) The computer program of Claim 1, wherein the on-screen graphics are grouped within the visual map to resemble the underlying architecture of the application.

4. (Original) The computer program of Claim 1, wherein the application comprises one or more database management systems.

5. (Original) The computer program of Claim 1, wherein the application comprises one or more servers.

6. (Original) The computer program of Claim 1, wherein the application comprises one or more operating systems.

Appl. No. : **09/695,609**
Filed : **October 23, 2000**

7. (Original) The computer program of Claim 1, wherein the application comprises one or more input/output devices.

8. (Original) The computer program of Claim 1, wherein the application comprises one or more computer accessible storage mediums.

9. (Original) The computer program of Claim 1, wherein the application comprises one or more data storage arrays.

10. (Original) The computer program of Claim 1, wherein the application comprises one or more system servers.

11. (Currently Amended) A method of monitoring a computer program having a plurality of components, the method comprising:

grouping a plurality of performance data to form an on-screen graphic, wherein the performance data represents the performance of a plurality of program components and wherein the on-screen graphic visually depicts the amount of data flow into and out one or more of the program components; and

changing a graphical attribute of the on-screen graphic when a value of the group of performance data corresponds to a threshold.

12. (Original) The method of Claim 11, wherein the on-screen graphic comprises a hierarchy of graphical caution levels, and wherein the graphical attribute is changed according to the hierarchy.

13. (Original) The method of Claim 11, wherein the on-screen graphic comprises a dataflow.

14. (Original) The method of Claim 11, wherein the on-screen graphic comprises alphanumeric text or symbols.

15. (Original) The method of Claim 11, wherein the on-screen graphic comprises a panel.

16. (Original) The method of Claim 11, wherein the on-screen graphic comprises an icon.

17. (Original) The method of Claim 16, wherein the icon comprises a process icon.

18. (Original) The method of Claim 16, wherein the icon comprises a memory icon.

19. (Original) The method of Claim 16, wherein the icon comprises a disk icon.

20. (Original) The method of Claim 16, wherein the icon comprises a meter icon.

21. (Original) The method of Claim 16, wherein the icon comprises a rotating icon.

22. (Original) The method of Claim 16, wherein the icon comprises a timer icon.

23. (Original) The method of Claim 16, wherein the icon comprises a chart or graph icon.

24. (Original) The method of Claim 11, wherein at least one of the plurality of program components comprises a process.

25. (Original) The method of Claim 11, wherein at least one of the plurality of program components comprises a flow of data within the program.

26. (Original) The method of Claim 11, wherein at least one of the plurality of program components comprises a memory structure.

27. (Original) The method of Claim 11, wherein at least one of the plurality of program components comprises a computer accessible storage medium.

Appl. No. : **09/695,609**
Filed : **October 23, 2000**

28. (Original) The method of Claim 11, wherein the graphical attribute comprises at least one of size, color, texture, text, blinking, existence, speed, acceleration, value, sound, rotation, animation, and content.

29. (Original) The method of Claim 11, wherein the computer program comprises one or more database management systems.

30. (Original) The method of Claim 11, wherein the computer program comprises one or more servers.

31. (Original) The method of Claim 11, wherein the computer program comprises one or more operating systems.

32. (Original) The method of Claim 11, wherein the computer program comprises one or more input/output devices.

33. (Original) The method of Claim 11, wherein the computer program comprises one or more computer accessible storage mediums.

34. (Original) The method of Claim 11, wherein the computer program comprises one or more data storage arrays.

35. (Original) The method of Claim 11, wherein the computer program comprises one or more system servers.

36. (Currently Amended) A method of monitoring a application program having a plurality of components, the method comprising:

grouping a first plurality of performance data to form a first on-screen graphic, wherein the first performance data represents the performance of a first plurality of program components of an application program wherein at least the first on-screen graphic visually depicts the amount of data flow into and out of one or more of the program components;

grouping a second plurality of performance data to form a second on-screen graphic, wherein the second performance data represents the performance of a second plurality of program components of the application program;

grouping the first and second on-screen graphics into a third on-screen graphic; and

changing a graphical attribute of one of the first and second on-screen graphics when a value of the corresponding group of performance data corresponds to a threshold.

37. (Currently Amended) A method of monitoring the performance of a computer program having a plurality of components; the method comprising:

grouping a first plurality of performance data to form a first on-screen graphic, wherein the first performance data represents the performance of a first plurality of program components of a computer program;

grouping a second plurality of performance data to form a second on-screen graphic, wherein the second performance data represents the performance of a second plurality of program components of the computer program;

representing the amount of data flowing into and out of ~~from~~ the first plurality of program components and to ~~the~~ second plurality of program components with an third on-screen graphic; and

changing a graphical attribute of the third on-screen graphic when a value of the data flow corresponds to a threshold.

38. (Currently Amended) A method of alerting an user to a potential problem within an application program; the method comprising:

accessing with a monitoring program, performance data representing at least one performance parameter of a monitored program;

comparing the at least one performance parameter to a threshold value associated with the at least one performance parameter;

visually depicting the amount of data flow into and out of one or more components of the monitored program; and

accessing a hierarchical set of severity levels to alert a user of the monitoring program, wherein the user is alerted with a first severity level when a threshold value is met and a lesser severity level when the threshold value is not met.

39. (Original) The method of Claim 38, wherein each of the hierarchical set of severity levels defines an action to be performed by the monitoring program.

40. (Original) The method of Claim 39, wherein the action comprises a message to the user.

41. (Original) The method of Claim 39, wherein the action comprises a change in an attribute of an on-screen graphic of the monitoring program.

42. (Original) The method of Claim 39, wherein the action comprises a presentation of additional information corresponding to the monitored program.

43. (Original) The method of Claim 38, wherein the hierarchical set of severity levels includes a middle severity level between the lesser severity level and the first severity level.

44. (Original) The method of Claim 38, wherein meeting the threshold value includes the performance parameter being equal to or greater than the threshold value.

45. (Original) The method of Claim 38, wherein the user selects the threshold value.

46. (Original) The method of Claim 38, wherein the user selects one of the hierarchical set of severity levels as the first severity level, and selects another of the hierarchical set of severity levels as the lesser severity level.

47. (Currently Amended) A monitoring system for monitoring a computer program, the monitoring system comprising:

a display having a window;

an on-screen graphic, displayed in the window and representing a plurality of performance statistics corresponding to a plurality of components of a computer program wherein the on-screen graphic visually depicts the amount of data flow into and out of at least one of the plurality of components; and

a severity protocol, associated with the on-screen graphic and configured to set a graphical attribute of the on-screen graphic, wherein the graphical attribute efficiently communicates to a user, the potential or actual existence of performance inhibitors associated with the computer program.

48. (Original) The monitoring system of Claim 47, wherein the computer program comprises one or more database management systems.

49. (Original) The monitoring system of Claim 47, wherein the computer program comprises one or more servers.

50. (Original) The monitoring system of Claim 47, wherein the computer program comprises one or more operating systems.

51. (Original) The monitoring system of Claim 47, wherein the computer program comprises one or more input/output devices.

52. (Original) The monitoring system of Claim 47, wherein the computer program comprises one or more computer accessible storage mediums.

Appl. No. : 09/695,609
Filed : October 23, 2000

53. (Original) The monitoring system of Claim 47, wherein the computer program comprises one or more data storage arrays.

54. (Original) The monitoring system of Claim 47, wherein the computer program comprises one or more system servers.

55. (Original) The monitoring system of Claim 47, wherein the on-screen graphic comprises alphanumeric text or symbols.

56. (Original) The monitoring system of Claim 47, wherein the on-screen graphic comprises a dataflow.

57. (Original) The monitoring system of Claim 47, wherein the on-screen graphic comprises a panel.

58. (Original) The monitoring system of Claim 47, wherein the on-screen graphic comprises an icon.

59. (Original) The monitoring system of Claim 58, wherein the icon comprises a process icon.

60. (Original) The monitoring system of Claim 58, wherein the icon comprises a memory icon.

61. (Original) The monitoring system of Claim 58, wherein the icon comprises a disk icon.

62. (Original) The monitoring system of Claim 58, wherein the icon comprises a meter icon.

63. (Original) The monitoring system of Claim 58, wherein the icon comprises a rotating icon.

64. (Original) The monitoring system of Claim 58, wherein the icon comprises a timer icon.

65. (Original) The monitoring system of Claim 58, wherein the icon comprises a chart or graph icon.

66. (Original) The monitoring system of Claim 47, wherein at least one of the plurality of components of the computer program comprises a process.

67. (Original) The monitoring system of Claim 47, wherein at least one of the plurality of components of the computer program comprises a flow of data within the computer program.

68. (Original) The monitoring system of Claim 47, wherein at least one of the plurality of components of the computer program comprises a memory structure.

69. (Original) The monitoring system of Claim 47, wherein at least one of the plurality of components of the computer program comprises a computer accessible storage medium.

70. (Original) The monitoring system of Claim 47, wherein the severity protocol comprises a hierarchy of graphical caution levels, and wherein the graphical attribute is changed according to the hierarchy.

71. (Original) The monitoring system of Claim 47, wherein the graphical attribute further comprises at least one of size, color, texture, text, blinking, existence, speed, acceleration, value, sound, rotation, animation, and content.

72. (Original) The monitoring system of Claim 47, wherein the performance inhibitors comprise at least one of dataflow bottlenecks, and improperly or inefficiently configured devices, protocols, variables, software modules, or flags.

73. (New) A method of monitoring a computer database program having a plurality of components, the method comprising:

grouping a plurality of performance data to form an on-screen graphic, wherein the performance data visually depicts the amount of data into and out of one or more redo components associated with a computer database program; and

changing a graphical attribute of the on-screen graphic when a value of the group of performance data corresponds to a threshold.

74. (New) The method of Claim 73, wherein the on-screen graphic comprises a hierarchy of graphical caution levels, and wherein the graphical attribute is changed according to the hierarchy.

75. (New) The method of Claim 73, wherein the on-screen graphic comprises a dataflow.

76. (New) The method of Claim 73, wherein the on-screen graphic comprises alphanumeric text or symbols.

77. (New) The method of Claim 73, wherein the on-screen graphic comprises a panel.

78. (New) The method of Claim 73, wherein the on-screen graphic comprises an icon.

79. (New) The method of Claim 73, wherein at least one of the redo components comprises a process.

80. (New) The method of Claim 73, wherein at least one of the redo components comprises a memory structure.

81. (New) The method of Claim 73, wherein at least one of the plurality of the redo components comprises a computer accessible storage medium.

82. (New) The method of Claim 73, wherein the graphical attribute comprises at least one of size, color, texture, text, blinking, existence, speed, acceleration, value, sound, rotation, animation, and content.

83. (New) A monitoring system for monitoring a computer database program, the monitoring system comprising:

a display having a window;

an on-screen graphic displayed in the window and representing one or more redo components of a computer database program wherein the on-screen graphic visually depicts the amount of data flow into and out of at least one of the redo components; and

a severity protocol, associated with the on-screen graphic and configured to set a graphical attribute of the on-screen graphic, wherein the graphical attribute efficiently communicates to a user, the potential or actual existence of performance inhibitors associated with the computer program.

84. (New) The monitoring system of Claim 83, wherein the on-screen graphic comprises alphanumeric text or symbols.

85. (New) The monitoring system of Claim 83, wherein the on-screen graphic comprises a panel.

86. (New) The monitoring system of Claim 83, wherein the on-screen graphic comprises an icon.

87. (New) The monitoring system of Claim 83, wherein the severity protocol comprises a hierarchy of graphical caution levels, and wherein the graphical attribute is changed according to the hierarchy.

88. (New) The monitoring system of Claim 83, wherein the graphical attribute further comprises at least one of size, color, texture, text, blinking, existence, speed, acceleration, value, sound, rotation, animation, and content.

Appl. No. : **09/695,609**
Filed : **October 23, 2000**

89. (New) The monitoring system of Claim 83, wherein the performance inhibitors comprise at least one of dataflow bottlenecks, and improperly or inefficiently configured devices, protocols, variables, software modules, or flags.

Appl. No. : 09/695,609
Filed : October 23, 2000

SUMMARY OF EXAMINER INTERVIEW

Identification of Claims Discussed

Claim 1 was discussed.

Identification of Prior Art Discussed

"Focus on OpenView A Guide to Hewlett-Packards Network and Systems Management Platform", by Nathan J. Muller published 1995.

Proposed Clarifications

Independent Claim 1 would be clarified to indicate the visual depiction of data flow into and out of the software components. The other independent claims would be clarified in a similar manner.

Furthermore, Applicant discussed adding new claims directed to the depiction of the REDO feature.

Results of Interview

The Examiner agreed that the cited references failed to teach the visual depiction of data flowing into and out of the software components.

Applicant and the Examiner also discussed the drawings and code disclosed in Applicant's provisional application. The Examiner agreed that Applicant is entitled to priority to Applicant's provisional patent application.